
Rosenberger

19" Rack Systems for Optimum Space-Saving

1 HU PDU / HDU Distribution Solutions





The Smart Solution for Optimum Rack Efficiency

Grow with Your Requirements

In today's wireless infrastructure solutions space is a valuable asset. Every rack unit counts. Efficient utilization of rack space is key to ensure a futureproof setup.

With Rosenberger's 1 HU Power & Fiber Distribution Solutions, you can make the most of the available space in your 19" rack – without compromising on performance or flexibility. Thanks to the modular architecture, you can tailor your configuration precisely to your needs – whether as a preconfigured system or on site.

Maximum efficiency without unnecessary complexity -our solutions adapt to your evolving demands, ensuring scalable and reliable power and fiber distribution.

Rely on smart and space-saving products that seamlessly integrate into your new or existing infrastructure.

Maximum efficiency, space-saving, secure, and adaptable to your infrastructure.

Rosenberger Site Solutions – Much More Than Technology

The Rosenberger Site Solutions Group designs, manufactures and provides solutions for the wireless infrastructure market. Our products and systems offer innovative and leading-edge designs with focus on high performance and quality. Having an efficient network implementation in mind, we focus on total site kitting, logistics and delivery time leading to reduced cost of ownership.

Globally present, the Rosenberger Site Solutions Group offers extensive local support making Rosenberger Site Solutions a partner instead of just a supplier.



19" 1 HU DC Power Distribution Unit (PDU)

Key Features

Flexible Circuit Configuration

Supports up to 18 circuit breakers, adaptable to your specific power distribution needs.

Scalable & On-Site Expandable

Easily add additional or change breakers on-site for maximum flexibility and future-proof expansion.

High Power Capacity

Each circuit supports a maximum current of up to 250 A, ensuring reliable performance in line with your requirements.

Customizable Circuit Design

Available with one, two, or three independent circuits, providing tailored solutions for all application requirements.

Integrated Surge Protection (Optional)

Available with or without Surge Protection Devices (SPD) featuring varistor-based Class 2, 5kA protection for enhanced protection.

Secure & Protected Installation

Dummy covers safeguard open slots ensuring a safe setup.

Enhanced Dust Protection

Equipped with a brush at the rear cable entry to prevent dust ingress and ensure long-term reliability.





19" 1 HU DC Power Distribution Unit

Portfolio

No. of Circuits	Circuit	No. of Circuit Breakers	SPD	Max. Current	Reference (Rosenberger No.)	Product
1	Single circuit	18 breakers	No SPD	250 A / circuit	SLPDU100-04	
			Unit with SPD			Principal Committee (Committee Committee Commi
			available on			Circuit 1
			request			
2	Two	Circuit one: Up to	No SPD	250 A /	SLPDU100-00	
	independent	12 circuit breakers		circuit		
	circuits (primary	Circuit two: Up to				Circuit 1 Circuit 2
	and secondary)	6 circuit breakers				Officult 1 Officult 2
2	Two	Circuit one: Up to	Varistor type,	125 A /	SLPDU100-01	
	independent	12 circuit breakers	class 2, 5kA	circuit		
	circuits (primary	Circuit two: Up to	SPDs protect			
	and secondary)	6 circuit breakers	each line			Circuit 1 Circuit 2
3	Three	Each circuit: Up to	No SPD	250 A /	SLPDU100-03	
	independent	6 circuit breakers		circuit		THE PART WHEN
	circuits					Circuit 1 Circuit 2 Circuit 3

Note: Breaker adds separately acc. to your needs (see page 8)

More configurations on request

19" 1 HU Hybrid Distribution Unit (HDU)

Key Features

Flexible Circuit Configuration

Supports up to 6 circuit breakers, adaptable to your specific power distribution requirements.

Efficient Fiber Management

Supports up to 12 fiber connections, ensuring seamless integration of power and data transmission.

Scalable & On-Site Expandable

Easily add additional or change breakers on-site for maximum flexibility and future-proof expansion.

High Power Capacity

Each circuit supports a maximum current of up to 250 A, ensuring reliable performance in demanding environments.

Integrated Surge Protection (Optional)

Available with or without Surge Protection Devices (SPD) featuring varistor-based Class 2, 5kA protection for enhanced protection.

Secure & Protected Installation

Dummy covers safeguard open slots ensuring a safe setup.

Enhanced Dust Protection

Equipped with a brush at the rear cable entry to prevent dust ingress and ensure long-term reliability.





19" 1 U Hybrid Distribution Unit

Portfolio

No. of Circuits	No. of Circuit Breakers	SPD	Max. Current	No. of Fibers	No. of Keystones	Rosenberger No.	Product
1	Up to 6 breakers	No SPD	250 A / circuit	Up to 12 fibers (6 x LCD)	-	SLHDU100-06-00	(
1	Up to 6 breakers	Varistor type, class 2, 5kA	125 A	Up to 12 fibers (6 x LCD)	-	SLHDU100-06-03	X* 1 1000
1	4 x 6A	Varistor type, class 2, 5kA	125 A	12 fibers (3 x LC Quad)	4 (RJ45)	SLHDU100-06-02-A	ENGRACIO TRA CARTILLA

Flexible configuration, please contact us to find the best solution for your requirements

- Up to 6 breakers (see page 8)
- Up to 7 Keystones (RJ45)
- Up to 12 Fibers (6 x LCDor 3 x LC Quad or 7 x E2000)



Circuit Breakers and Accessories

Factorypre-installation as per your requirements

Circuit Breakers

Rosenberger No.	Description
NDB6AZ-63H/6/1PN	6 A, 1 pole
NDB6AZ-63H/10/1PN	10 A, 1 pole
NDB6AZ-63H/16/1PN	16 A, 1 pole
NDB6AZ-63H/20/1PN	20 A, 1 pole
NDB6AZ-63H/25/1PN	25 A, 1 pole
NDB6AZ-63H/32/1PN	32 A, 1 pole
NDB6AZ-63H/40/1PN	40 A, 1 pole
NDB6AZ-63H/50/1PN	50 A, 1 pole
NDB6AZ-63H/63/1PN	63 A, 1 pole





Dummy Cover

Rosenberger No.	Description	
BSB-SLPDU100	Dummy cover	



Cable Management

Rosenberger No.	Description	
SLR010-00	19" cable feedthrough	
	with brush	



Finger Protection Cover

Rosenberger No.	Description		
BSB-SLPDU100	Finger protection cover		
	at the rear of the unit		




Assembly Instruction





Rosenberger Site Solutions Product and Solutions Portfolio









Available Product Catalogs





Website

For further informationen please visit us online: www.rosenberger.com/siso

Rosenberger

Rosenberger Site Solutions GmbH Mayerhofen 45A | 83410 Laufen Germany Phone +49 8684 18-5000 siso@rosenberger.com www.rosenberger.com/siso

A member of the Rosenberger group

Order No. pA 10222263 · Info514RadiatingFeederFly 200/2025

Rosenberger® is a registered trademark of Rosenberger Hochfrequenztechnik GmbH & Co. KG. All rights reserved.

© Rosenberger 2025